

SAFETY DATA SHEET

Aire-Master of America Inc

SUPER DEGREASER

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Directives

SECTION 1. PRODUCT IDENTIFICATION

1.1 TRADE NAME (AS LABELED):	Super Degreaser
SYNONYMS:	N/A
CAS#:	Mixture
1.2 PRODUCT USE:	Dilutable cleaner for Degreasing Surfaces
1.3 MANUFACTURER'S NAME:	Aire-Master of America Inc.
ADDRESS:	1821 N HWY CC, Nixa, Missouri 65714
BUSINESS PHONE:	1-417-725-2691
WEB SITE INFORMATION:	www.airemaster.com
1.4 EMERGENCY PHONE NUMBERS:	1-417-725-2691
DATE OF CURRENT REVISION:	August 10, 2018
DATE OF LAST REVISION:	February 16, 2015

SECTION 2. HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: This product is a green liquid with a butyl odor.

Health Hazards: Corrosive: Contact with skin and eyes may cause burns. May be harmful if swallowed, in contact with skin, or inhaled. Inhalations of mists may cause irritation.

Flammability Hazards: This product is considered a Non-Flammable liquid.

Reactivity Hazards: Corrosive.

Environmental Hazards: The environmental effects of this product have not been investigated, however release may cause long term adverse environmental effects.

US DOT SYMBOLS



CANADA (WHMIS) SYMBOL(S)

Classified per WHMIS 2015

EUROPEAN and (GHS) Hazard Symbol(s)



Signal Word: **Danger!**

2.1 GHS LABELING AND CLASSIFICATION:

CLASSIFICATION OF SUBSTANCE OR MIXTURE IN ACCORDANCE WITH 29 CFR 1200 (OSHA HCS) AND THE EUROPEAN UNION DIRECTIVES:

This product does meet the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC:

Index Number:

203-905-0 Annex VI # 603-014-00-0

215-181-3 Annex VI # 019-002-00-8

229-912-9 Annex VI # 014-010-00-8

287-494-3 is not listed in Annex VI

Substances not listed either individually or in group entries must be self classified.

Component(s) Contributing to Classification(s)

2-butoxyethanol, Potassium Hydroxide, Sodium Metasilicate Anhydrous, Dodecylbenzenesulfonic Acid

2.2 LABEL ELEMENTS

GHS Hazard Classification(s):

Acute Toxicity, Oral Category 4

Acute Toxicity, Dermal Category 4

Acute Toxicity, Inhalation Category 4

Skin Corrosion Category 1B

Serious Eye Damage Category 1

SAFETY DATA SHEET

Aire-Master of America Inc

SUPER DEGREASER

Hazard Statement(s):

H302: Harmful if swallowed
H312: Harmful in contact with skin
H314: Causes severe skin burns and eye damage
H318: Causes serious eye damage
H332: Harmful if inhaled

Prevention Statement(s):

P264: Wash thoroughly after handling
P260: Do not breathe dust or mists.
P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
P264: Wash hands thoroughly after handling.

Response Statement(s):

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P363: Wash contaminated clothing before reuse.
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P310: Immediately call a POISON CENTER or doctor.
P321: Specific treatment (see supplemental first aid instructions on this label).
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage Statement(s):

P405: Store locked up.

Disposal Statement(s):

P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 OTHER HAZARDS:

None Applicable

SECTION 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Hazardous Ingredients:	WT%	CAS#	EINECS #	Hazard Classification
2-butoxyethanol	5 – 15%	111-76-2	203-905-0	Acute Toxicity Cat 4 (Oral, Dermal, Inhalation), Skin Irrit Cat 2, Eye Irrit Cat 2
Potassium Hydroxide	1 – 3%	1310-58-3	215-181-3	Acute Toxicity Cat 4 (Oral), Skin Corrosion Cat 1
Sodium Metasilicate Anhydrous	0 – 1%	6834-92-0	229-912-9	Skin Corrosion Cat 1, STOT SE Cat 3 (Resp Irrit)
Dodecylbenzenesulfonic Acid	0 – 1%	85536-14-7	287-494-3	Acute Toxicity Cat 4 (Oral), Skin Corrosion Cat 1
Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers). Actual concentrations withheld as trade secret.				

SECTION 4. FIRST-AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES:

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention.

SKIN CONTACT: Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists. Remove contaminated clothing. Launder before re-use. Seek medical attention.

INHALATION: If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.

INGESTION: If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Pre-existing skin or eye problems may be aggravated by prolonged contact.

SAFETY DATA SHEET

Aire-Master of America Inc

SUPER DEGREASER

4.2 SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

Contact with skin and eyes may cause burns and possible tissue damage. May be harmful if swallowed, inhaled, or in contact with skin.

4.3 RECOMMENDATIONS TO PHYSICIANS:

Treat symptoms and eliminate overexposure.

SECTION 5. FIRE-FIGHTING MEASURES

5.1 FIRE EXTINGUISHING MATERIALS:

Use fire extinguishing methods below:

Water Spray:	Yes	Carbon Dioxide:	Yes
Foam:	Yes	Dry Chemical:	Yes
Halon:	Yes	Other:	Any "C" Class

5.2 UNUSUAL FIRE AND EXPLOSION HAZARDS:

Irritating and toxic fumes may be produced at high temperature. Use of water may result in the formation of a toxic aqueous solution. Do not allow run-off from fire fighting to enter drains or water courses.


Explosion Sensitivity to Mechanical Impact: No

Explosion Sensitivity to Static Discharge: No

5.3 SPECIAL FIRE-FIGHTING PROCEDURES:

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

NFPA RATING SYSTEM



HMIS RATING SYSTEM

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM			
HEALTH HAZARD (BLUE)			3
FLAMMABILITY HAZARD (RED)			1
PHYSICAL HAZARD (YELLOW)			0
PROTECTIVE EQUIPMENT			
EYES	RESPIRATORY	HANDS	BODY
	See Sect 8		See Sect 8
For Routine Industrial Use and Handling Applications			

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves and eye/face protection.

6.2 ENVIRONMENTAL PRECAUTIONS:

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

6.3 SPILL AND LEAK RESPONSE:

Small spills: Collect material via broom or mop. Place in tightly sealed containers for proper disposal.

Large spills: Approach spill areas with caution. If liquid was introduced, create a dike or trench to contain material. Soak up with absorbent material such as clay, sand or other suitable non-reactive material. Place in leak-proof containers. Seal tightly for proper disposal. Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

SAFETY DATA SHEET

Aire-Master of America Inc

SUPER DEGREASER

SECTION 7. HANDLING and STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

To prevent skin and eye contact under the foreseeable conditions of use, wear appropriate protective clothing and safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling. Handle in a well-ventilated work area.

7.2 STORAGE AND HANDLING PRACTICES:

Keep away from: acids, oxidizing agents, heat, or flames. Keep in cool, dry, well-ventilated area in closed containers. Protect containers from physical damage.

7.3 SPECIFIC USES:

Dilutable cleaner for Degreasing Surfaces

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 EXPOSURE PARAMETERS:

Chemical Name	CAS#	ACGIH TLV	OSHA TWA
2-butoxyethanol	111-76-2	20 ppm	50 ppm
Potassium Hydroxide	1310-58-3	2 mg/m ³	2 mg/m ³
Sodium Metasilicate Anhydrous	6834-92-0	Not listed	Not listed
Dodecylbenzenesulfonic Acid	85536-14-7	Not listed	Not listed

8.2 EXPOSURE CONTROLS:

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: Not required for properly ventilated areas. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

EYE PROTECTION: Safety glasses or goggles are required. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

HAND PROTECTION: Chemical resistant gloves are required to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

BODY PROTECTION: Use body protect appropriate to task being performed. If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

SECTION 9. PHYSICAL and CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE (Physical State) and COLOR: This product is a green liquid

ODOR: Butyl odor

ODOR THRESHOLD: Not Available

pH: >11

MELTING/FREEZING POINT: Not Available

BOILING POINT: Not available

FLASH POINT: Not available

EVAPORATION RATE (n-BuAc=1): Not Available

FLAMMABILITY (SOLID, GAS): Not Applicable

UPPER/LOWER FLAMMABILITY OR EXPLOSION LIMITS: Not Available

VAPOR PRESSURE (mm Hg @ 20°C (68°F): Not Available

SAFETY DATA SHEET

Aire-Master of America Inc

SUPER DEGREASER

VAPOR DENSITY: Not Available
RELATIVE DENSITY: Not Available
SPECIFIC GRAVITY: > 1
SOLUBILITY IN WATER: 100%
WEIGHT PER GALLON: Not Available
PARTITION COEFFICIENT (n-octanol/water): Not Available
AUTO-IGNITION TEMPERATURE: Not Available
DECOMPOSITION TEMPERATURE: Not Available
VISCOSITY: Water Thin

9.2 OTHER INFORMATION:

No additional information available at this time.

SECTION 10. STABILITY and REACTIVITY

10.1 REACTIVITY:

This product is not reactive.

10.2 STABILITY:

Stable under conditions of normal storage and use.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS:

Will not occur.

10.4 CONDITIONS TO AVOID:

Avoid freezing and excessive temperatures.

10.5 MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE:

Acids and oxidizing agents.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS:

Thermal decomposition products include carbon monoxide.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:

TOXICITY DATA:

2-Butoxyethanol CAS# 111-76-2
Oral LD50 470 mg/kg Rat
Inhalation 450ppm (4h) Rat
LC50
Dermal LD50 200 mg/kg Rabbit
Potassium Hydroxide CAS#1310-58-3
Oral LD50 333 mg/kg Rat
Sodium Metasilicate Anhydrous CAS# 6834-92-0
Oral LD50 1153 mg/kg Rat

Acute toxicity	Acute Toxicity Category 4 (Oral, Dermal, Inhalation)
Skin corrosion / irritation	Skin Corrosion Category 1
Serious eye damage / irritation	Eye Damage Category 1
Respiratory or skin sensitization	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Carcinogenicity	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met

ROUTE OF EXPOSURE: The most significant routes of overexposure for this product are by contact with the respiratory system, skin or eyes. The symptoms of overexposure are described in the following paragraphs.

ACUTE:

INHALATION: Mist or spray may cause a burning sensation, cough, shortness of breath, or sore throat.

CONTACT WITH SKIN: Corrosive material may cause redness, skin burns, or blisters.

EYE CONTACT: Corrosive material may cause irritation with possible burns and tissue damage.

INGESTION: May cause severe pain of the gastrointestinal tract. May cause headache or nausea.

CHRONIC: No data available.

SAFETY DATA SHEET

Aire-Master of America Inc

SUPER DEGREASER

TARGET ORGANS: **Acute:** Skin, Eyes, Respiratory System
Chronic: No data available.

SUSPECTED CANCER AGENT: Ingredients within this product are not found on the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

IRRITANCY OF PRODUCT: This product may be irritating to skin and eyes.

SENSITIZATION TO THE PRODUCT: This product is not expected to cause skin sensitization.

REPRODUCTIVE TOXICITY INFORMATION: No specific information is available concerning the effects of this product and its components on the human reproductive system.

SECTION 12. ECOLOGICAL INFORMATION

12.1 TOXICITY:

No data available

12.2 PERSISTENCE AND DEGRADABILITY:

No specific data available on this product.

12.3 BIOACCUMULATIVE POTENTIAL:

No specific data available on this product.

12.4 MOBILITY IN SOIL:

No specific data available on this product.

12.5 RESULTS OF PBT AND vPvB ASSESSMENT:

No specific data available on this product.

12.6 OTHER ADVERSE EFFECTS:

No data available

12.7 WATER ENDANGERMENT CLASS:

May be water endangering in accordance with EU Guideline 91/155-EWG. Do not allow product to reach ground water, water course or sewage system. At present there are no ecotoxicological assessments for this product.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS:

Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

13.2 EU WASTE CODE:

Not determined

SECTION 14. TRANSPORTATION INFORMATION

US DOT, IATA, IMO, ADR:

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS: This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

14.1 UN IDENTIFICATION NUMBER: UN1760

14.2 PROPER SHIPPING NAME: Corrosive liquids, n.o.s (Potassium Hydroxide)

14.3 HAZARD CLASS NUMBER and DESCRIPTION: Class 8 - Corrosive

14.4 PACKING GROUP: III

DOT LABEL(S) REQUIRED: Corrosive

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER: 153

14.5 ENVIRONMENTAL HAZARDS: (RQ QUANTITY): None

MARINE POLLUTANT: The components of this product are not designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

14.6 SPECIAL PRECAUTION FOR USER: None

INTERNATIONAL AIR TRANSPORT ASSOCIATION SHIPPING INFORMATION (IATA): This product is considered as dangerous goods.

INTERNATIONAL MARITIME ORGANIZATION SHIPPING INFORMATION (IMO): This product is considered as dangerous goods.

SAFETY DATA SHEET

Aire-Master of America Inc

SUPER DEGREASER

SECTION 15. REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE SUBSTANCE OR MIXTURE:

UNITED STATES REGULATIONS:

U.S. SARA REPORTING REQUIREMENTS: The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act as follows: None

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for the components of this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lbs (4,540 kg) therefore applies, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

U.S. TSCA INVENTORY STATUS: The components of this product are listed on the TSCA Inventory or are exempted from listing.

OTHER U.S. FEDERAL REGULATIONS: None known

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): This product does not contain ingredients on the Proposition 65 Lists.

15.2 CANADIAN REGULATIONS:

CANADIAN DSL/NDSL INVENTORY STATUS: Components are DSL Listed, NDSL Listed and/or are exempt from listing

OTHER CANADIAN REGULATIONS: Not applicable.

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by those regulations.

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: This product is classified per WHMIS 2015 Hazardous Product Regulations.

15.3 EUROPEAN ECONOMIC COMMUNITY INFORMATION:

This product does meet the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

See Section 2 for Details

CHEMICAL SAFETY ASSESSMENT:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

15.4 AUSTRALIAN INFORMATION FOR PRODUCT: Components of this product are listed on the International Chemical Inventory list.

15.5 JAPANESE INFORMATION FOR PRODUCT:

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

15.6 INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac: Listed

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed

Philippines Inventory of Chemicals and Chemical Substances (PICCS): Not Listed

Swiss Giftliste List of Toxic Substances: Listed

U.S. TSCA: Listed

SAFETY DATA SHEET

Aire-Master of America Inc

SUPER DEGREASER

SECTION 16. OTHER INFORMATION

ABBREVIATIONS AND ACRONYMS:

EPA: United States Environmental Protection Agency

ARD: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PREPARED BY: Chris Eigbrett – (**MSDS to GHS Compliance**)

DATE OF PRINTING: August 10, 2018

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. Aire-Master of America Inc assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Aire-Master of America Inc assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.

END OF MSDS SHEET